


# StarLights

COLLECTION 2018/19



SPECIAL  EFFECTS



## TABLE OF CONTENTS

|                        |    |
|------------------------|----|
| T-SHIRT LAUNCHER       | 3  |
| CO2 GEYSER EFFECTS     | 4  |
| SPARKS EFFECTS         | 7  |
| FOAM MACHINE           | 8  |
| CONFETTI SHOOTER       | 12 |
| SNOW MACHINE           | 17 |
| MACHINE CONFIGURATIONS | 19 |
| LOW FOG MACHINE        | 20 |
| HOLI and PAINT PARTY   | 21 |
| HOLI POWDER/PAINT      | 22 |
| CONSUMABLES FLUID      | 23 |
| CONSUMABLES CONFETTI   | 25 |
| STAGE EQUIPMENT        | 26 |
| ACCESSORIES            | 27 |



### CONCEPT

Conceiving and producing with excellent raw materials, robust, performing and suitable equipments suitable for arduous use, is how STARLIGHTS spirit has immediately approached with business.



### WHY CHOOSE STARLIGHTS

Simply for your event success! The reliability and indestructibility of our machines has no fear of comparison. They must pass rigorous tests before being marketed and live tests before being put into production.



### WHAT WE GUARANTEE

Our network of distributors in Europe guarantees quickly supplies and the factory always has machine and goods in stock. Our assistance center, with qualified personnel and spare parts, is able to intervene promptly.



### CREATED NEW OPPORTUNITIES

Do not miss the opportunity to attack new markets and get to know important customers, choosing to use STARLIGHTS machines. Innovative products and especially designed for large spaces, will allow you to meet different needs. You will find out that, with us, it's easy to get a profit!



### FEEL FREE TO BE UNIQUE

Our design is as unique as our customers who choose to stand out with machines that are not only powerful but also express a strong identity, style and modernity!



### TARGET MARTEK

With our three product lines (Smart, Start and Techo) we are able to meet the needs that go from the neophyte to the professional.



**DANNY PAPA**  
CREATOR AND CO-FOUNDER  
danny@starlights.it



**DENYSE STEFANELLI**  
EXPORT MANAGER  
export@starlights.it



**SALVATORE PAPA**  
MARKETING AND FOUNDER  
s.papa@starlights.it



**MASSIMO LONGO**  
SALES MANAGER ITALIA  
advisor@starlights.it

Sas LEK Distribution  
www.specialxeffects.fr  
Distributeur Exclusif France  
contact@specialxeffects.fr  
04.90.87.02.39

181, Av Achille Moreau 84700 SORGUES  
Siret 839 722 766 00012 Ape 4669 C

### MORE INFO

- 1 OTHER PRODUCTS SPECIFICATIONS  
[WWW.STARLIGHTS.IT](http://WWW.STARLIGHTS.IT)
- 2 FOR ACCESSORIES AND SPARE PARTS  
[WWW.STORE.STARLIGHTS.IT](http://WWW.STORE.STARLIGHTS.IT)



## REVOLVER MATIC

### DESCRIPTION

Automatic t-shirt launcher  
A revolution in t-shirts launching market systems. The only machine in the industrial market able to launch repeatedly multiple t-shirts. Designed for big events and for stadium use, it is able to launch t-shirts over 30 meters and gadgets without stopping for recharging and without pauses!  
Wireless technology. You'll be free to place it anywhere (even in the middle of a sports field) and its automatic functions will be guaranteed by a

powerful rechargeable battery. Incline, point and Fire!  
360 ° maneuverability, wide inclination and automatic barrel rotation make the use of Revolver fun and its effect spectacular!  
Handy to transport, easy to use with on / off buttons on the direction rudder and quickly reclosable (with retractable tanks trucks).

### TECHNICAL DATA

Power: 24v with Battery 220v Recharge  
Consumption: 100 w  
Shooting Distance: over 30mt  
CO2 Consumption: 2 kg / tube / sec ----> 32 \ 64 T-Shirt in 10 sec  
Connection: High Pressure 3/8 " quick connection pipes, 1" 1/4 "  
Control: Direct with controls on the direction rudder



## REVOLVER

### DESCRIPTION

T-shirts repeating launcher.  
Exclusive machine designed for those who want to open up on new markets but without facing big investments. The device is able to launch nonstop t-shirts in medium\big events. Manual rotation is facilitated by a convenient gear system. The functioning with a small tank, the lightness, maneuverability, the small size both operational and in transport (re-closable and with stabilizing and extractable bars), nominate this machine to become the best-selling one.

### TECHNICAL DATA

Power: 24v with Battery 220v Recharge  
Consumption: 100w  
Shooting Distance: over 20mt  
Co2 Consumption: 1Kg / tube / sec ----> 12 \ 24 T-Shirt in 10 sec  
Connection: 3/8" quick connection pipes  
Control: Direct



+



=



**LEDUP**

## CO2 ETNA 2.0

### DESCRIPTION

Cryogenic system for the production of scenographic cold and thick smoke columns using CO2. Is marked by the name of a still active volcano on earth, on Italian territory and knows as the highest on the Eurasian Plate, Etna CO2, represent a must have in the most famous clubs in the preparation of special effects.

### TECHNICAL DATA

Power: 220V or 24V (110V on request)  
Consumption: 350W - 500W DMX  
Function: Standard Co2 tank  
Shooting Distance: over 8 mt  
Control: Direct/ DMX Wi-Fi (optional)  
Consumption: 1 kg Co2/sec

## LEDUP

### DESCRIPTION

Is the accessory that will add value to your already amazing Etna.

### TECHNICAL DATA

Ideal for Etna 1.0/2.0  
Power AC 240V 50-60Hz  
Consumption 500 W

36 x 3W RGB CREE LED  
WiFi DMX Control  
RGB Control  
Co2 output control  
Touch Panel Control  
Inox Connection Screw  
Size (WxDxH): 11,5x25x47,5 cm  
Co2 output control



## CO2 STROMBOLI

### DESCRIPTION

Able to generate an enormous frozen air cloud "geyser effect" it allows the device to be oriented and "shoot" at a considerable distance.

### TECHNICAL DATA

Power: AC 220V 50-60 Hz  
Consumption 500W  
Control Direct or Wi-Fi DMX (Optional)  
Consumption 4 cylinders of carbon dioxide of 30 kg - 4kg/sec  
Shooting Distance up to 18\20 mt  
Product Dimensions 150 x 200 x 210 mm  
Weight 20 Kg

## CO2 VESUVIO

### DESCRIPTION

Amazing machine inspired by the volcano "Vesuvio" called "Explosive", actually one of the most dangerous volcano among the one in the European territory.s.

### TECHNICAL DATA

Power AC 220V 50-60 Hz  
Consumption 1500W  
Control Direct or Wi-Fi DMX (Optional)  
Consumption 4 cylinders of carbon dioxide of 30 kg - 4kg/sec  
Shooting distance up to 15 mt  
Product Dimension 150 x 200 x 210 mm  
Weight 30 Kg

## CO2 HURRIKAN

### DESCRIPTION

This machine confirm the vocation that our company has for big events. Hurrikan is among the most powerful systems ever produced with a devastating effect thanks to the performance of 8 valves that are between the most advanced and efficient.

### TECHNICAL DATA

Power AC 240V 50-60Hz  
Consumption 2000 W  
4 X Different Co2 effects output  
Touch Panel Control - WiFi DMX Control  
Consumption 8 cylinders of carbon dioxide of 30 kg - 8kg/sec  
Inox Connection Screw  
Shooting Distance: 12/15/20mt  
Size (WxDxH): 70x80x97 cm



## CO2 BAZOOKA

### DESCRIPTION

An explosion of icy air, driven by an incredible propulsion, will be generated only by pressing the "trigger" lever.

### TECHNICAL DATA

Power: 220V or 24V (110V on request)  
Consumption: 500W  
Function: with 6 kg Co2 tank or standard 20/30 kg Co2 tank  
Shooting Distance: over 8 mt  
Control: Direct  
Consumption: 1 kg Co2/sec

## CO2 LIGHT GUN

### DESCRIPTION

It Creates a frozen smoke column effect that vanishes in a few moments (obtained by a mixture of carbon dioxide and oxygen).

### TECHNICAL DATA

Power: 12V for led lighting  
Shooting distance: Over 6mt  
Control: Direct  
Function: Standard Co2 Tanks  
Consumption: 0.5kg of Co2 / sec  
Material: Steel / Polycarbonate  
Connections: Inox

## CO2 PISTOL 2.0

### DESCRIPTION

The appearance and the ergonomics are like a real gun while the effect although is not lethal, is actually "devastating" within 4 mt.

### TECHNICAL DATA

Function: with 6 kg Co2 tank or standard 20/30 kg Co2 tank  
Shooting Distance: over 4 mt  
Control: Direct  
Consumption: 0.5kg Co2/sec



## SPARK PRO

### DESCRIPTION

Having a device that realizes a real "sparks effect" manageable with remote control to amplify the effect, making it spectacular and synchronizing it to the scene and music, today is possible with SPARK PRO. Realistic fountain effect also safe for indoor use because it uses titanium powder. No smoke and no smell, no combustion residue.

### TECHNICAL DATA

Power: 220 v 1000W  
Control: DMX control  
Height: 2-6m  
Recharges fountain: Powder for Pyro Fountains 100g  
Weight: 7.8kg



## SPRAY SPARK

### DESCRIPTION

Innovative machine with two special effects in one. With a single installation you can have an exceptional flame effect and a sparkling fountain manageable in DMX alternately or simultaneously. Through the DMX control you can choose to start the flame effect simultaneously or individually.

### TECHNICAL DATA

Power: 220 v 200W  
Effect height: 3-5m  
Recharges flame: Reload Spray fire machine 400ml cans  
Recharges fountain: Techno Spark Powder 100g bags



## SPARK ROTARY

### DESCRIPTION

Having equipment capable of creating special dynamic effects is certainly among the most common needs. Spark Rotary, it is a device able to manage the rotation movement on the axis of five sticks. A vortex of sparks that only you can manage in speed as well as stop & start. With only one radio command you can manage multiple units at the same time.

### TECHNICAL DATA

Power: 220 v 200W  
Controller: Remote control  
Effect height: 3-5m  
According to the chosen model of stick  
Rech. fountain: electric sparkles stick - White / colored fires



## SPARK SWING

### DESCRIPTION

With Swing Spark you'll get a range of sparks that will thrill your public. The Dancing effect obtained with a dynamic system of left / right movement controllable in speed and start / stop activation is further enhanced by some presets (scenes \ games) already programmed on the dedicated control unit included.

### TECHNICAL DATA

Power: 220 v 200W  
Height effect: 3-5m  
According to the chosen model of stick  
Control mode: DMX or special wire controller  
Fountain rech.: Electric sparks launcher



## TECHNO FOAM LINE

Our Techno line assures high-engineering products with high plug-and-play performances, groundbreaking design and "handicraft" manufacturing. This connotation gives uniqueness to your working equipment, making them rough-looking but extremely strong.

## TECHNO FOAM 5.1

### DESCRIPTION

Foam maker cannon for foam parties, indestructible, designed for large space (capable to shoot over 25 meters/ 82 ft.), futuristic design, excellent ratio between production and range.

### TECHNICAL DATA

Voltage: AC 240V 50-60 Hz  
Absorption: 2000W  
Pump: 750W  
Control: Direct  
Distance shot: Over 20 \ 30m  
Consumption: 20Lt / min

Material: Aluminum  
Painting: Anti-scratch coating  
Connections: Inox  
Protection: IP56  
Support excluded

## TECHNO FOAM 3.6

### DESCRIPTION

Those who decide to invest in Techno Foam MFX 3.6 will buy a machine that is worth almost 2! , indestructible, super light design for large spaces , futuristic design, excellent ratio between production/range and low fuel consumption.

### TECHNICAL DATA

Voltage: AC 240V 50-60 Hz  
Absorption: 1500W  
Pump: 750W  
Control: Direct  
Shootind distance: 15 \ 20 m  
Consumption: 20Lt / min

Painting: Anti-scratch  
Connections: Inox  
Protection: IP56  
Support excluded



## TECHNO FOAM START

### DESCRIPTION

It has been designed for the prosperous market of music lovers, DJs, small service and entertainment agencies. With a very affordable investment, "Techno Foam Start" is the result of the foam production cannon most sold in the 2015. Moreover, his performances are respectable (range about 10mt), besides a really limited consumption of the ready-to-use solution.

### TECHNICAL DATA

Power: AC 240V 50-60 Hz (110V on request)  
Consumption: 1500W  
Techno Pump: 750W  
Control: Direct  
IP Protection: IP65  
Shooting Distance: over 10 mt  
Inox Connection Screw  
Fluid Consumption: 20Lt/min  
Size: (WxDxH): 60x112x140 cm

## TECHNO FOAM SMART

### DESCRIPTION

Excellent relationship between low investment and high efficiency. Designed for fixed installation in clubs, but also indicated for the rental and events industry.

### TECHNICAL DATA

Power: AC 240V 50-60Hz  
Consumption: 550W  
Techno Pump: 750W  
Direct control  
Inox Connection Screw  
Shooting Distance: 6/8m  
Production: over 300m<sup>2</sup>/min  
Size: (WxDxH): 45x88x115 cm  
Including support



### ROTARY FOAM SMART (optional accessory)

Power: AC 240V 50-60Hz  
Consumption: 500W  
WiFiDMXControl:  
Rotation control  
Size(WxDxH): 45X45X10 cm



## OVERLOAD SERIES

### DESCRIPTION

The new concept for this type of machine: improve efficiency, reduce consumption and maximize the amount of foam.

## OVERLOAD XXL

### TECHNICAL DATA

AC 240V 50-60Hz  
Consumption: 2000 W  
Direct control  
Protection: IP65  
Inox Connection Screw  
Production: more than 700m<sup>2</sup> / min  
Dimensions (WxDxH): 94x77x110 cm

## OVERLOAD M

### TECHNICAL DATA

AC 240V 50-60Hz  
Consumption: 1500 W  
Direct control  
IP65 protection  
Inox Connection Screw  
Production: more than 500m<sup>2</sup> / min  
Dimensions (WxDxH): 73x71x89 cm



## OVERLOAD S

### TECHNICAL DATA

AC 240V 50-60Hz  
Consumption 1000 W  
Direct control  
IP65 protection  
Inox Connection Screw  
Production: over 300m<sup>2</sup> / min  
Dimensions (WxDxH): 46,5x69x68 cm



## ROBOT FOAM



### DESCRIPTION

Robot foam is the first and only machine in the world for the production of automatic and intelligent foam. It can also be programmed and managed remotely with smartphone apps.

All the power of Demon for your big events but with a technological heart. Equipped with Pan and tilt mechanical movement with digital control. A show in the show!

### TECHNICAL DATA

Voltage: 380V (220V or 110V on request)  
Consumption: 10Kw  
Control: Direct Wi-Fi DMX touch panel  
Shooting distance: over 40 mt  
Fluid Consumption: From 20 to 200 Lt / min  
Material: Aluminum  
Painting: Anti-scratch  
Connections: Inox  
Protection: IP56

## TECHNO DEMON

### DESCRIPTION

We wanted a machine that despite of its impressive size, was manageable, dynamic, man size and at the same time that has prerogatives above expectations. Simply a "super foam gun".





## TECHNO CONFETTI 5.1

### DESCRIPTION

Professional electric confetti launcher cannon. A tireless companion who, for the solidity of the materials used, will accompany you for a long time. The return on investment is safe and fast. Everything has been designed to achieve high performance and a quick and convenient interchangeability with the whole series.

### TECHNICAL DATA

Power: AC 240 V 50-60 Hz  
Consumption: 2000 W  
Control: Direct  
Touch panel Control: (with Wi-Fi DMX Optional)  
Shooting Distance: over 25 mt  
Consumption: 5Kg confetti / min  
Connections: Inox  
Protection: IP65  
Size: 66x54xH168cm  
Support: Excluded



## TECHNO CONFETTI 3.6

### DESCRIPTION

Professional electric confetti launcher cannon. For the first time together robustness, functionality and futuristic design! A shocking machine for aesthetics but above all for the power.

### TECHNICAL DATA

Power: AC 240 V 50-60 Hz  
Consumption: 1500 W  
Control: Direct  
Touch panel Control: (with Wi-Fi DMX Optional)  
Shooting Distance: over 20 mt  
Consumption: 3Kg confetti / min  
Connections: Inox  
Protection: IP65  
Size: 55.5x32xH117cm  
Support: Excluded



## TECHNO CONFETTI START

### DESCRIPTION

Efficient and cost-effective machine! Starting from today, also the confetti segment includes the start line characterized by a very convenient price and great versatility.

### TECHNICAL DATA

Power: AC 240 V 50-60 Hz  
Consumption: 1100 W  
Control: Direct  
Touch panel Control: (with Wi-Fi DMX Optional)  
Shooting distance: over 15 mt  
Consumption: 5Kg confetti / min  
Painting: Anti-scratch coating  
Connections: Inox  
Protection: IP65  
Size: 60x142xH162cm

## RAINBOW SERIES X8-X4-X2-X1

### DESCRIPTION

Devices for the launching of confetti and/or streamers with the use of disposable tubes with compressed air propulsive charge. All models allow you to adjust the inclination and have a launch consent device (with low voltage electric impulse) remotely controlled with DMX protocol for stunning synchronized effects.

### TECHNICAL DATA

Power AC 240V 50-60 Hz (110V on request)  
Consumption: 100W  
Control: DMX 512 (8 ch-RainbowX8)  
(4 ch-RainbowX4)(2 ch-RainbowX2)(1 ch-RainbowX1)  
Shooting Distance: from 6 to 15 mt



## TECHNO TRIPLE SHOOTER

### DESCRIPTION

Firing confetti is now a cult in all kind of events and using sometimes bizarre systems favors moments of animation sharing and entertainment.

This gun is designed for shoot up to 3 confetti launchers at the same time.

Fast recharge with quick connection. Made of sturdy shockproof material.

### TECHNICAL DATA

Power: 12v  
Control mode - Manual control  
Size 770X90X280 mm  
Weight 2.5Kg  
Work with all type of 60 \ 80 cm electric confetti launcher

## TECHNO RAIN CONFETTI

### DESCRIPTION

Getting a "confetti rain" effect in the studio, in a theater or on stage with the Funnel machine is truly amazing.

Preloaded operation, it's possible to start the machine with the dmx protocol.

A native mechanism prevents the machine from jamming it always guarantees the supply of the confetti tank in its entirety.

### TECHNICAL DATA

Power: 240V 50 / 60Hz  
Consumption: 110W  
Control : Manual or DMX control  
Max Coverage 80m2 (hanging the machine at 10m high)  
Max Capacity 150g  
Max Output Time 5s  
N.W. 9.5kg  
Machine Size 445x445x368 mm



Compatible with smartphone app

## TORNADO



### DESCRIPTION

With the best components, we got the best performance! Handcraft, attention to details, ultralight aluminum components, make the machine movements fast and practical. The wireless controller also increases the professional employment potential of the machine.

### TECHNICAL DATA

Power: AC 240V 50-60Hz  
Consumption: 600 W  
Control: WIFI DMX  
Touch Panel Control (with optional DMX BOX) or Direct Control  
Inox Connection Screw  
Shooting Distance: 20/25mt  
Confetti Consumption 10 Kg/min  
Size (WxDxH): 54x105x154 cm

## POWER RAINBOW

### TECHNICAL DATA

Power supply: Co2  
Co2 Consumption: 1Kg / sec  
Confetti Consumption: 10Kg / min  
Control: Direct  
Range: Over 15mt  
Painting: Anti-scratch  
Connections: Inox  
Dimensions (WxDxH): 385x640x1290 mm  
Weight: 42 kg



## DESCRIPTION

Complete range of three very powerful confetti launcher systems with “Boom” effect for professional use. Supplied with a handy and robust flycase with self-braking swivel wheels for transportation and operational setup. The dynamic management of the activation combined with the very high pressure that manages to develop the native mechanism (allowing to produce an incredible propulsion able to generate almost an explosive effect and launch a considerable amount of confetti and streamers) makes the Compressor Line the winning choice.

Distance and weight of the confetti change according to the chosen model.

## AIR CONFETTI COMPRESSOR

### TECHNICAL DATA

Power: AC 220V 50-60 Hz and 24V

Consumption 30W

Direct Control, wired control, DMX, WiFi DMX, 24V ON!

Shooting distance: Confetti over 40m, Streamers 60m, Stadium Streamers over 60m!

## AIR CONFETTI MEDIUM

### TECHNICAL DATA

Power: AC 220V 50-60 Hz or 24V

Consumption 30W

Direct Control, wired control, DMX, WiFi DMX

Shooting distance: confetti over 20m, Streamers: 30m, Stadium Streamers over 40m!

## AIR CONFETTI SMART

### TECHNICAL DATA

Power: AC 220V 50-60 Hz or 24V

Consumption 30W

Direct Control, wired control, DMX, WiFi DMX

Shooting distance: Confetti over 10m and Streamers over 25m



## TECHNO SNOW 5.1

### ARTIFICIAL SNOW PRODUCTION CANNONS

The Techno line of our range, identifies products as well as high engineering content, with high performance, plug & play, no-tools needed assembling, cutting-edge design and "handmade" manufacturing.

### DESCRIPTION

Who decides to invest in Techno Snow MFX 5.1, buy a machine that is worth almost two!  
In fact replacing only the "MFX head" will automatically transform the machine into a "foam shooter" or "confetti shooter" cannon, with real savings of up to 50%.

### TECHNICAL DATA

Power: AC 240 V 50-60 Hz  
Consumption: 4650W  
Shooting distance: 30 / 40mt  
Fluid Consumption: 10lt / min  
Material: Aluminum  
Painting: Anti-scratch coating  
Connections: Inox  
Protection: IP56  
Support excluded



## TECHNO SNOW 3.6

### DESCRIPTION

Who decides to invest in Techno Snow MFX 3.6, buy a machine that is worth almost two!  
In fact replacing only the "MFX head" will automatically transform the machine into a "foam shooter" or "confetti shooter" cannon, with real savings of up to 50%.

### TECHNICAL DATA

Power: AC 240 V 50-60 Hz  
Consumption: 3000 W  
Shooting distance: 18/25 mt  
Fluid Consumption: 10lt / min  
Painting: Anti-scratch coating  
Connections: Inox  
Protection: IP56  
Support excluded



## TECHNO SNOW START

### DESCRIPTION

SNOW START has been designed to be used, transported, assembled and disassembled quickly without the use of any tools. We know the need of our clients, hirer, special effects professionals, and we want a product that was born with an imprinting "problem solving" besides having to be intuitive to the beginner to use.

### TECHNICAL DATA

Power AC 240V 50-60 Hz (110V on request)  
Consumption: 3400W  
Control: Direct  
IP Protection: IP65  
Shooting Distance: 18/25 mt  
Inox Connection Screw  
Fluid Consumption: 10Lt/min

## TECHNO SNOW SMART

### DESCRIPTION

Even in the snow segment comes a smart line and do not even need an external pump. Small, powerful and low cost! You will be surprised by the quantity of artificial snow which is able to produce..

### TECHNICAL DATA

Power AC 240V 50-60Hz  
Consumption 2000 W  
Direct control  
Inox Connection Screw  
Shooting Distance: over 10mt  
Size (WxDxH): 39x59x47 cm

## CONFIGURATIONS

HEADS

FOAM 5.1



CONFETTI 5.1



SNOW 5.1



FOAM 3.6



CONFETTI 3.6



SNOW 3.6



**EASY ...  
CUSTOMIZABLE ...  
...DIY**

ENGINE AND BASE





## LOW FOG MACHINE

### DESCRIPTION

A machine that can't be compared to others in relation to performance, consumption and investment. The effectiveness of the co2 technology, combined with the reliability of the smoke generator to the solidity of the laser-cut aluminum structure, make this machine the reference of the market for professional use in medium and large environments.

### TECHNICAL DATA

Power AC 240V 50-60Hz  
Consumption 4000 W  
WiFi DMX Control  
Fog Volume Control  
Co2 Control  
Touch Panel Control  
Inox Connection Screw  
Coverage: over 450 mq  
Size (WxDxH): 53,5x114x76 cm



## H2O FOG MACHINE

### DESCRIPTION

A revolutionary solution to obtain an excellent low fog effect without CO2 cylinders use (that sometimes can be uncomfortable) and cooling systems that makes the fog raise as it cools. In less than 5 minutes of preheating, it is able to deliver without pause, dense "low smoke" obtained by compaining nebulized water molecules with standard fog liquid.

### TECHNICAL DATA

Power AC 240V 50-60Hz  
Consumption 4000 W  
WiFi DMX Control  
Fog Volume Control  
Co2 Control  
Touch Panel Control  
Inox Connection Screw  
Coverage: over 150 mq



## TECHNO BOMBER

### DESCRIPTION

With an easier frontal load (with accessory included), a launching device with remote electric control, or DMX Wi-Fi (optional), quick connections for high pressure pipes and operation with CO2 cylinder, "Techno Bomber" is the only system able to create large, massive and thick clouds of colored powder at a considerable distance.

### TECHNICAL DATA

Power: 220V (110V or 12V on request)  
Consumption: 500W  
Shooting Distance: over 20 mt  
Connection: High Pressure 3/8" Gas Fast Connection  
Control: Direct/ DMX Wi-Fi (optional)

## TECHNO PAINTER

### DESCRIPTION

Paint shooter bazooka with a range of over 20 meters, this machine works continuously thanks to the pressurization provided by a special device contained inside the flycase on wheels to which it is connected by quick connections pipe.

### MEGA

### TECHNICAL DATA

Power: 220V (110V or 12V on request)  
Consumption: 2000W  
Shooting distance: Over 20mt  
Control: Direct electronic  
Connection: 1 "1/4" quick connection  
Material: Steel  
Painting: Anti-scratch coating  
Connections: Inox  
Protection: IP56

### STANDARD

### TECHNICAL DATA

Power: 220V (110V or 12V on request)  
Consumption: 1000W  
Shooting distance: Over 10mt  
Control: Direct electronic  
Connection: 1 "1/4" quick connection  
Material: Steel  
Painting: Anti-scratch coating  
Connections: Inox  
Protection: IP56



ORANGE

RED

PINK

YELLOW

GREEN

BLUE

## NON-TOXIC POWDERS FOR LAUNCH.

### DESCRIPTION

Colored powder suitable for manual launch or professional cannon like "Bomber". Optimized for holi party usage thanks to the "UV" components, making the tints particularly bright and the colors fluorescent.

They realize thick and full bodied clouds making a guaranteed eye-catching effect. The product is non-toxic, hypoallergenic, anti stain, in accordance with EN71 norm.

Available: 80/100 gr bag, 0,5/2/16 kg box

## COLORED PAINT CAN BE DILUTED FROM LAUNCH

### DESCRIPTION

They are a really concentrate special kind of painting that are able to give you new and exciting Color effects. Their prerogative is to finally make the public protagonist and interacting at the same time with stage and social. They are a really concentrate special kind of painting that are able to give you new

and exciting Color effects. Their prerogative is to finally make the public protagonist and interacting at the same time with stage and social.

Full concentrated products range, also used diluted.

Product in accordance with EN71 norm UV reactive 12 pieces pack - 600 ml tank



**DESCRIPTION**

Fluid smoke for standard use, does not block, doesn't leave residue and is compatible with all types of machines. Hypoallergenic and non-toxic.

**SMOKE FLUID**

**SMOKE FLUID**

Standard fog fluid, for smoke and haze production. Suitable for all types of machines FOG and Hazer, is the right basic product for all the standard fog machines.

**SMOKE FLUID MED**

Thoroughly studied mainly for Hazer machines but suitable for all types of machines, the Techno Smoke Medium fits to the most different uses, indoor, outdoor, small or large live concerts.

**SMOKE FLUID CONC**

Pure smoke production fluid. Produced only with raw materials and without dilution. Suitable for all types of machines FOG and Hazer, is ideal for professional and outdoor use.

**SMOKE FLUID LOW**

This fluid is widely studied for density and persistence, to use with low fog machines. This fluid allows a white and persistent production of smoke on the ground, but without the consequent fog effect during the ascent/heating phase.

**SMOKE FLUID CLEANER**

Smoke machines heater cleaning fluid. Exclusive product for professional machines. Ideal for those who make limited use of the machines and want to avoid heater clogging and/or to renew all the internal components. It does not damage pipes and coils.



**DESCRIPTION**

Standard high-quality bubble fluids, non-toxic and hypoallergenic. HACCP suitable. Also suitable for most machines on the market.

**BUBBLE FLUID**

**CONCENTRATED**

Made with the best raw materials available on the market and without dilution, this product is suitable for both machines and artists/jugglers. Thanks to its pureness it also can be diluted and used as a fluid for the classic bubbles but with a higher performance!

**READY TO USE**

High performance bubble fluid. Tested on all machines, it produces a large quantity of light coloured bubbles. It doesn't leave residue, does not evaporate, pleasant smell, our product is non-toxic, hypo-allergenic, anti stain and especially HACCP approved.

**UV REACTIVE**

Uv reactive bubble fluid. High performance COLOURED uv reactive bubble fluid. Tested in most of the machines available on market, thanks to the presence of new special pigments, has a high reactive power to UV rays and is therefore able to produce very slowly and colourful bubbles.

**SMOKE FLUID CLEANER**

Made with the best raw materials available on the market and without dilution, this product is suitable for both machines and artists/jugglers. Thanks to its pureness it also can be diluted and used as a fluid for the classic bubbles but with a higher performance!



## TECHNO COLOR SCENTS

### DESCRIPTION

Highly concentrated product, designed to be suitable for all types of fluids presents on the market. Even at low dilution is able to produce highly colored foam. Our products is non-toxic, hypo-allergenic, anti stain and especially HACCP approved. Tested on all machines on the market!.

## TECHNO FLUID SCENTS

### DESCRIPTION

Foam-Fog-Snow  
Vegetable based product for foam and snow fluids. Highly concentrated product, designed to be suitable for all types of fluids present on the market. Just a few drops to make your special effects very fragrant.  
Tested on all machines on the market!

## TECHNO SNOW

### DESCRIPTION

ready to use - concentrated  
Professional fluid for light and floating snow flakes production. This fluid is available as both ready to use or high concentrated. Techno snow, in concentrated formula, produces up to 40 liters of ready to use snow fluid using only 1 liter of concentrated fluid!

## TECHNO FOAM FLUID

### DESCRIPTION

After several years of searching for the perfect product, but in full compliance with regulations and non-irritating when used direct, Techno Foam is the best fluid ever produced by StarLights Chemical Division



**GREEN CHRISTMAS**  
tree table confetti



**SILVER SHELLS**  
table confetti



**WHITE OPALESCENT**  
snowman table confetti



**PAPER AND METALLIC SLOW FALL CONFETTI**

Available colors



Metallic available colors



**GOLD LEAVES**  
table confetti



**MULTICOLOR BUTTERFLY**  
table confetti



**RED HEART**  
table confetti



**PAPER & METALLIC SHAPED CONFETTI**



Confetti rounded



Confetti petals



Confetti petals



Confetti petals



Confetti heart

**CONFETTI**

Large choose of professional confetti. They are the top of the market because of the weight, the size and the colors are designed and produced for the realization of a slow, beautiful, plenty falling. The cellulose used is 99% biodegradable with a low environmental impact.



## WING STAGE

### DESCRIPTION

Strong modular steel platform painted with the same method of our popular line techno. Designed for very heavy loads with reinforced plywood coating wood floor and non-slip surface. Our system allows you to quickly close the retractable feet while the height can be adjusted from 20 to 40 cm with snap device.

### TECHNICAL DATA

Type: Stage Table  
Dimension: 200x100 cm  
Floor thickness: 2,5 cm  
Load capacity: 1350 kg/sqm  
Frame material: steel  
Steel section (WxDxH): 4x4x0,2 cm  
Extension: from 20 to 40 cm



## TURBO WIND

### DESCRIPTION

A vortex of power delivered with a total control of the number of fan revolutions that allow to control the final effect. An on-board controller with display touch allows you to connect and manage a smoke machine. It can be used to generate wind effect or to amplify the smoke effect.

### TECHNICAL DATA

Power: 220V (110V on request)  
Consumption: 500W  
Linear RPM fan control  
Fog contact control  
Control: Direct, touch panel, Wi-Fi dmx



### DESCRIPTION

Finally a simply robust and functional control system. From the futuristic design, command 4 and 8 will allow you to have a perfect control of all your terminals even without DMX. Equipped with safety device and key lock to prevent accidental activation. The robust armor hides a highly technological heart. A built-in touch display, an even wireless management with an internal processor make this item top of the range.

## 8 COMMAND

### TECHNICAL DATA

Power: 220V (110V on request)  
Consumption: 50W  
Output: 8x powerconn connection 16Ah with flash, and switch control.  
Control: Direct, touch panel control, wifi dmx control



## 4 COMMAND

### TECHNICAL DATA

Power: 220V (110V on request)  
Consumption: 50W  
Output: 4x powerconn connection 16Ah with flash, and switch control.  
Control: Direct, touch panel control, wifi dmx control



## POWER SWITCH

### DESCRIPTION

Power AC 240V 50-60Hz  
Maximum Load 3KW  
4 X different and unique Radio signal control  
Inox Connection Screw  
Signal Coverage: over 30/50 mt



## CO2 DETECTOR

### DESCRIPTION

Power AC 240V 50-60Hz 24V on request  
Maximum Load 3KW  
Adjustable Ppm Range  
Inox Connection Screw  
Size (WxDxH): 35x30x7,5 cm



## WIFI DMX BOX

### DESCRIPTION

Power AC 240V 50-60Hz  
Wi Fi DMX Control  
Touch Panel  
Available with Dimmable Output  
Maximum Load 3KW  
Inox Connection Screw  
Signal Coverage: over 100 mt



## WING STAGE x2

### DESCRIPTION

Power AC 240V 50-60Hz  
Output: 2x powerconn connection 16Ah with flash  
Maximum Load 3KW  
Inox Connection Screw



## WING STAGE x1

### DESCRIPTION

Power AC 240V 50-60Hz  
Output: 1x powerconn connection 16Ah with flash  
Maximum Load 3KW  
Inox Connection Screw

# SPECIAL EFFECTS

STARLIGHTS.IT

FOLLOW US

